


FLOOR PLAN LEGEND




GENERAL NOTES - ARCHITECTURAL PLAN

- A. ALL WORK SHOWN "N.I.C." (NOT IN CONTRACT) MAY BE ACCOMPLISHED BY A CONTRACTOR WHO IS NOT INCLUDED AS PART OF THE CONSTRUCTION AGREEMENT. THE GENERAL CONTRACTOR IS TO COORDINATE WITH "OTHER" CONTRACTORS PERFORMING N.I.C. WORK WHICH IMPACTS OR RELATES TO WORK WHICH IS PART OF THE "CONSTRUCTION AGREEMENT".
- B. ALL PARTITIONS ARE TYPE '1' UNLESS OTHERWISE NOTED
- C. ALL DIMENSIONS ARE FROM COLUMN CENTER LINE TO FACE OF PARTITION U.O.N. UNDER NO CIRCUMSTANCES SHALL ANY MEASUREMENT BE SCALED FROM THE DRAWINGS. ANY MEASUREMENT NOT GIVEN AN ACTUAL NUMBER DIMENSION SHOULD BE BROUGHT TO THE ARCHITECT'S ATTENTION BEFORE PROCEEDING.
- PROJECT LIMIT LINES INDICATES THE AREA OF A MAJORITY OF THE PROJECT WORK. BUT SOME WORK WILL BE REQUIRED OUTSIDE OF THE PROJECT LIMITS. REFER TO DRAWINGS AND SPECIFICATIONS FOR INFORMATION.
- ALL DEMOLITION & CONSTRUCTION AREAS MUST HAVE ANTE ROOMS AS REQUIRED AND DESCRIBED IN THE SPECIFICATIONS, VERIFY EXACT LOCATIONS OF ANTE ROOMS
- REFER TO HOLLOW METAL DOOR JAMB DETIAL FOR INFORMATION ON LOCATION OF THE DOORS. U.N.O.
- CONTRACTOR TO INSTALL (3) ROWS OF CONT. 12" WIDE 20 GA. BACKING PLATE AROUND ENTIRE PERIMETER OF OPERATION ROOMS, EQUIPMENT STORAGE ROOMS, EQUIPMENT ALCOVES, R.M.E. NEURO ORTHO ROOM, AND PRE-INDUCTION ROOMS. (TOP OF THE FIRST BACKING PLATE TO BE AT 4'-0" AFF; TOP OF THE SECOND BACKING PLATE TO BE AT 6'-0" AFF; TOP OF THE THIRD BACKING PLATE TO BE AT 8'-0" AFF)

KEYED NOTES - 4TH FLOOR PLAN - PHASE 3

- 1 ALIGN PROPOSED PARTITION WITH EXISTING PARTITION AS INDICATED ON THE PLAN.
- 2 ALIGN NEW PARTITIONS WITH EACH OTHER AS INDICATED ON THE PLAN



■ 1/0 = 1-0				TKETTE/III	N TIMBLE	
					E	BID DOCUMENTS
Revisions: A03 Revision A00003	Date CONSULTANTS:	ARCHITECT/ENGINEERS:	Drawing Title PARTIAL 4TH FLOOR DIMENSION PLAN		Project Number 657-13-300JC	Votorone
		FoxArchitects Swim, Schuchat, & Cornett	- PHASE 3 Approved: Associate Director Approved: Chief Engineer	Operating Rooms, ER &Triage	Building Number	Veterans Health
		VOSB S Lengineering, inc.	Approved: Chief of Staff Approved: Safety Officer	Location V.A.M.C. ST. LOUIS, MO JOHN COCHRAN DIVISION	Drawing Number	Administration
		One Memorial Drive Tel 314.621.4343 Suite 1800 Fax 314.621.0261 Saint Louis, MO 63102 MEP & Structural Engineer Tel 636.530.7770 18207 Edison Avenue Fax 636.530.7877 Chesterfield, MO 63005	Approved: Infection Control Approved: Chief, Police & Security	Date Checked Drawn	1-3-A-102	Department of Veterans Affairs
VA FORM 08-6231 OCT 1978				06/01/16 JB MP		Veterans Affairs 6/1/2016 3:08:20 PM

1 2 5 9